



Qingdao Jindeshun Metal Products Co.,Ltd.

-2023



www.qdjindeshun.com

COMPANY PROFILE



Qingdao Jindeshun Metal Products Co.,Ltd, was founded in 2012. Recent two years, we invested over CNY 20 million to establish new Manufactory in the Industrial Park of Lingang Economic Zone in Huangdao of Qingdao. The new factory covers an area of 20,000 m², which includes product line of 15,000 m² equipped with modern production equipments such as Automatic rolling forming lines, powder coating line, auto power coating machine. The annual productivity is 1.2 million shelf for our factory. In another words,3000 shelves are dispatched to all over the world every day.


Europe is our main target market. We continue expanding new business opportunities in all over the world. In order to attract new customers, under the influence of a competitive environment, our company continues to improve the quality of goods and their delivery to customers.

Welcome to visit us @ www.qdjindeshun.com

青島金德順金屬製品有限公司


Qingdao Jindeshun Metal Products Co., Ltd.

- 01-19 METAL SHELF 货架
- 20-28 WHEEL BARROW 手推车
- 29-30 KIDS CART 儿童系列
- 31-34 CAMPING CART 露营车
- 35-38 HAND TRUCK 货仓车
- 39-41 TOOL CART 工具车
- 42-43 TOOLS 工具
- 44-49 GARDEN CART 花园系列
- 50 BIRD CAGE 鸟笼
- 51-52 DOG CAGE 狗笼
- 53-56 RUBBER WHEEL 胶轮
- 57-58 PU FOAM WHEEL PU轮



OUR CERTIFICATE: FSC/GS/BEPI/BSCI/ISO9001/EN14749





METAL SHELF



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KCT20C		5 layers	H:180xL:90xD:40cm	175kg/Layer
KCT20A		5 layers	H:180xL:90xD:45cm	265kg/Layer
KCT45		5 layers	H:180xL:120xD:45cm	150kg/Layer
KCT17		5 layers	H:172xL:75xD:30cm	150kg/Layer
KPW29		5 layers	H:200xL:90xD:60cm	175kg/Layer
KET42		4 layers	H:150xL:75xD:30cm	100kg/Layer





KPT52>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KPT52		4 layers	H:180xL:90xD:45cm	265kg/Layer
KCT20CP		5 layers	H:180xL:90xD:45cm	175kg/Layer
KCT20AP		5 layers	H:180xL:90xD:45cm	265kg/Layer
KCT45P		5 layers	H:180xL:120xD:45cm	150kg/Layer
KCT17P		5 layers	H:172xL:75xD:30cm	150kg/Layer
KPW29P		5 layers	H:200xL:90xD:60cm	175kg/Layer
KET42		4 layers	H:150xL:75xD:30cm	100kg/Layer






HOT KLT20C>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KLT20C		5 layers	H:180xL:90xD:40cm	175kg/Layer
KLT42		4 layers	H:148xL:75xD:30cm	100kg/Layer
KPT20A		5 layers	H:180xL:90xD:45cm	175kg/Layer
KLT17		4 layers	H:172xL:75xD:30cm	150kg/Layer
KLT160		4 layers	H:180xL:160xD:60cm	250kg/Layer
KLT50		4 layers	H:180xL:160xD:50cm	250kg/Layer





MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KCT20C-N		5 layers	H:180xL:90xD:45cm	175kg/Layer
KCT20A-N		5 layers	H:148xL:90xD:45cm	175kg/Layer
KCT160-N		4 layers	H:180xL:160xD:60cm	250kg/Layer
KLT20C-N		5 layers	H:180xL:90xD:40cm	175kg/Layer
KLT60C-N		5 layers	H:180xL:100xD:60cm	150kg/Layer





(KLT150>>)

MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KLT150		5 layers	H:180xL:150xD:45cm	280kg/Layer
KLT20CP		5 layers	H:180xL:90xD:40cm	175kg/Layer
KLT42P		4 layers	H:148xL:75xD:30cm	100kg/Layer
KPT20AP		5 layers	H:180xL:90xD:45cm	175kg/Layer
KLT17P		4 layers	H:172xL:75xD:30cm	150kg/Layer
KLT160P		4 layers	H:180xL:160xD:60cm	250kg/Layer



KRT30>>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KRT30		5 layers	H:180xL:90xD:45cm	175kg/Layer
KRT29		4 layers	H:180xL:75xD:30cm	175kg/Layer
KBT30		5 layers	H:180xL:90xD:30cm	175kg/Layer






KPT68>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KPT68		4 layers	H:180xL:120xD:60cm	350kg/Layer
KBT45		4 layers	H:180xL:160xD:60cm	350kg/Layer
KBT88		4 layers	H:180xL:180xD:60cm	150kg/Layer





KCT29>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KCT29		5 layers	H:180xL:90xD:45cm	175kg/Layer
KRT110		5 layers	H:180xL:110xD:45cm	175kg/Layer
KRT80		5 layers	H:180xL:80xD:30cm	175kg/Layer
KRT90		5 layers	H:180xL:90xD:30cm	175kg/Layer
KRT120		5 layers	H:180xL:120xD:45cm	175kg/Layer
KRT150		5 layers	H:180xL:150xD:45cm	175kg/Layer



NEW



KRT35>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KRT35		5 layers	H:180xL:120xD:50cm	175kg/Layer
KRT37		4 layers	H:180xL:150xD:60cm	300kg/Layer
KRT43		4 layers	H:180xL:180xD:60cm	250kg/Layer





KIT86>>




MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KIT86		4 layers	H:200xL:200xD:60cm	800kg/Layer



KIT99>>

MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KIT99		4 layers	H:183xL:196xD:60.5cm	800kg/Layer





NEW



KIT600>>

MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KIT600		4 layers	H:183xL:183xD:54cm	625kg/Layer






KFT42P>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KFT42P		4 layers	H:145xL:75xD:30cm	40kg/Layer
KFT170P		5 layers	H:170xL:75xD:30cm	50kg/Layer
KFT75P		5 layers	H:175xL:90xD:30cm	50kg/Layer





KFT42>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KFT42		4 layers	H:145xL:75xD:30cm	40kg/Layer
KFT26		4 layers	H:127xL:67xD:26cm	40kg/Layer
KFT42S		4 layers	H:145xL:75xD:30cm	40kg/Layer
KFT52S		4 layers	H:187xL:100xD:30cm	50kg/Layer
KFT20		4 layers	H:180xL:90xD:40cm	80kg/Layer







KFT20C-5L>>



MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KFT20C-4L		4 layers	H:180xL:90xD:40cm	100kg/Layer
KFT20C-5L		5 layers	H:180xL:90xD:40cm	100kg/Layer






MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KPT175		5 layers	H:175xL:90xD:40cm	220kg/Layer
KPT205		5 layers	H:205xL:120xD:45cm	200kg/Layer




KPW56>>



KPW55>>

MODEL	GS	SIZE	LOAD CAPACITY
KPW56		H:180xL:90xD:45cm	280kg/Layer
KPW55		H:180xL:90xD:40cm	175kg/Layer



KPW55S>>



KPW45P>>

MODEL	GS	SIZE	LOAD CAPACITY
KPW55S		H:180xL:70xD:40cm	175kg/Layer
KPW45P		H:180xL:90xD:45cm	400kg/Layer





KWT44>>

KWT1220>>



MODEL	GS	SIZE	LOAD CAPACITY
KWT44		H:180xL:120xD:45cm	150kg/Layer
KWT1220		H:146xL:122xD:66cm	150kg/Layer



KWT28>>

KWT33P>>



MODEL	GS	SIZE	LOAD CAPACITY
KWT28		H:140xL:110xD:54cm	100kg/LAYER
KWT33P		H:180xL:100xD:30/60cm	265kg/LAYER



KWT120>>

MODEL	GS	SIZE	LOAD CAPACITY
KWT120		H:180xL:120xD:60/30cm	175kgs/Below layer 30kgs/Upper layer





MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KSW201		4 layers	H:140xL:76xD:32cm	200kg/Layer
KSW202		4 layers	H:180xL:91xD:45cm	200kg/Layer
KSW202A		4 layers	H:182xL:91xD:45cm	200kg/Layer







MODEL	GS	LAYER	SIZE	LOAD CAPACITY
KWH30		6 layers	H:200xL:90xD:45cm	100kg/Layer
KWH20		5 layers	H:180xL:90xD:45cm	175kg/Layer



Wheel Barrow





WB3800

Weight: 12.7kg
 Load Capacity (kg):100
 Water Capacity(L) :60
 Sand Capacity (L) : 4
 Wheel: 13"x3"
 L/H/C (mm):1380x540x450
 A/B/h(mm):820x580x210



WB6400

Weight: 10kg
 Load Capacity (kg):130
 Water Capacity(L) :65
 Sand Capacity (L) :5
 Wheel: 14"x4"
 L/H/C (mm):1430x515x527
 A/B/h(mm):820x580x210



WB6411

Load Capacity(kg):120
 Weight(kg):11.8
 Water capacity(L):60
 Sand Capacity(CBF):5
 Wheel:3.50-8
 L/H/C(mm):1380x455x600
 A/B/h(mm):800x647x215



WB1206

Weight: 12.4kg
 Load Capacity (kg):100
 Water Capacity(L) :45
 Sand Capacity (L) :4
 Wheel: 3.25/3.00-8
 L/H/C(mm):1415x500x610
 A/B/h(mm):785x695x165



WB7200
 Weight: 10.3kg
 Load Capacity (kg):160
 Water Capacity(L) :75
 Sand Capacity (L) :5
 Wheel: 13"x3"
 L/H/C(mm):1440x480x510
 A/B/h(mm):895x645x235



WB7400R
 Weight: 13kg
 Load Capacity (kg):150
 Water Capacity(L) :75
 Sand Capacity (L): 5
 Wheel: 4.00-8
 L/H/C(mm):1605X505X545
 A/B/h(mm):895x645x235



WB7400B
 Weight: 17kg
 Load Capacity (kg):160
 Water Capacity(L):100
 Sand Capacity (L):7
 Wheel: 4.00-8
 L/H/C(mm):1490X620X490
 A/B/h(mm):980x633x296



WB7400B-1
 Weight: 17kg
 Load Capacity (kg):160
 Water Capacity(L) :80
 Sand Capacity (L): 6
 Wheel: 4.00-8
 L/H/C(mm):1500X645X550
 A/B/h(mm):975x670x275



WB5009
 Weight: 12.2kg
 Load Capacity (kg):120
 Water Capacity(L) 75
 Sand Capacity (L) 5
 Wheel: 4.00-8
 L/H/C(mm)1420x630x630
 A/B/h(mm):880x595x285



WB6404H
 Weight: 13.4kg
 Load Capacity (kg):200
 Water Capacity(L) 75
 Sand Capacity (L) 5
 Wheel: 4.80/4.00-8
 L/H/C(mm):1340x700x605
 A/B/h(mm):875x595x285



WB5211
 Load Capacity(kg):120
 Own Weight(kg):14
 Water capacity(L):
 Sand Capacity(CBF):4.5
 Wheel:3.00-7
 L/H/C(mm):1310x660x580
 A/B/h(mm):790x572x220



WB6401
 Load Capacity(kg):130
 Own Weight(kg):12.2
 Water capacity(L):75
 Sand Capacity(CBF):6
 Wheel:14 " x4 "
 L/H/C(mm):1490x495x545
 A/B/h(mm):980x560x255



WB6406-1

Body Size:1290x670x520mm(LxWxH)
Wheel:400-8(16"x4")
Capacity:85L



WB5204-1

Body Size:1270x610x610mm(LxWxH)
Wheel:400-6(13"x4")
Capacity:80L



WB1089

Load Capacity(kg):80
Weight:6.8kg
Wheel:4.00-6 Pneumatic Tyre
L/W/H/A/B/C(MM):
1300x640x610x900x620x220

WB5224

Load Capacity(kg):80
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C/A/B/h(mm):
1230x610x570x803x610x205



WB6410
 Weight: 13.6kg
 Load Capacity (kg):130
 Water Capacity(L) 61
 Sand Capacity (L) 5
 Wheel: 3.50-8
 L/H/C(mm):1240X680X580
 A/B/h(mm):840x680x215



WB6431
 Load Capacity(kg):160
 Own Weight(kg):14.4
 Water capacity(L):72
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1480x610x615
 A/B/h(mm):875x595x285



WB6432
 Load Capacity(kg):160
 Own Weight(kg):15.1
 Water capacity(L):72
 Sand Capacity(CBF):5
 Wheel:3.25-8
 L/H/C(mm):1390x530x620
 A/B/h(mm):875x595x285



WB6436
 Load Capacity(kg):200
 Own Weight(kg):14
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:4.80/4.00-8
 L/H/C(mm):1460x575x620
 A/B/h(mm):880x595x280



WB6440
 Weight: 16kg
 Load Capacity (kg):160
 Water Capacity(L) 120
 Sand Capacity (L) 6
 Wheel: 4.00-8
 L/H/C(mm)1375X580X510
 A/B/h(mm):925x590x265



WB6406
 Weight: 13.7kg
 Load Capacity (kg):150
 Water Capacity(L) 75
 Sand Capacity (L) 5
 Wheel: 4.00-8
 L/H/C(mm):1290X670X520
 A/B/h(mm):895x645x235



WB5213
 Load Capacity(kg):160
 Own Weight(kg):15.3
 Water capacity(L):90
 Sand Capacity(CBF):5.5
 Wheel:4.00-6
 L/H/C(mm):1440x582x683
 A/B/h(mm):870x675x280



WB6211
 Weight: 11.5kg
 Load Capacity (kg):80
 Water Capacity(L) 58
 Sand Capacity (L) 5
 Wheel: 4.00-6
 L/H/C(mm):1350x600x375
 A/B/h(mm):800x647x215



WB6416
 Load Capacity(kg):150
 Own Weight(kg):14
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1500x550x600
 A/B/h(mm):860x600x285



WB6414T
 Load Capacity(kg):160
 Own Weight(kg):14
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:16 " x4 "
 L/H/C(mm):1460x545x565
 A/B/h(mm):880x595x280



WB6800
 Load Capacity(kg):160
 Own Weight(kg):14
 Water capacity(L):80
 Sand Capacity(CBF):6
 Wheel:4.00-8
 L/H/C(mm):1480x480x540
 A/B/h(mm):965x530x270



WB5600
 Load Capacity(kg):100
 Own Weight(kg):13
 Water capacity(L):72
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1490x585x505
 A/B/h(mm):1090x600x270



WB5601
 Load Capacity(kg):100
 Own Weight(kg):15.8
 Water capacity(L):72
 Sand Capacity(CBF):5
 Wheel:16 " x4 "
 L/H/C(mm):1585x520x520
 A/B/h(mm):1090x600x270



WH7805
 Load Capacity(kg):180
 Own Weight(kg):19
 Water capacity(L):100
 Sand Capacity(CBF):7
 Wheel:4.00-8
 L/H/C(mm):1510x525x550
 A/B/h(mm):980x633x296



WH5400
 Load Capacity(kg):160
 Own Weight(kg):11.7
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:14 " x4 "
 L/H/C(mm):1440x465x580
 A/B/h(mm):920x645x235



WH6601
 Load Capacity(kg):160
 Own Weight(kg):15
 Water capacity(L):90
 Sand Capacity(CBF):6
 Wheel:4.00-8
 L/H/C(mm):1495x560x540
 A/B/h(mm):970x670x275



WH9600

Load Capacity(kg):180
Own Weight(kg):20.2
Water capacity(L):130
Sand Capacity(CBF):10
Wheel:16 " x4 "
L/H/C(mm):1575x575x540
A/B/h(mm):1100x885x478



WH8802

Load Capacity(kg):160
Own Weight(kg):17.6
Water capacity(L):120
Sand Capacity(CBF):8
Wheel:16 " x4 "
L/H/C(mm):1540x470x565
A/B/h(mm):1105x850x400



WH7807

Load Capacity(kg):150
Own Weight(kg):17
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16 " x4 "
L/H/C(mm):1455x575x540
A/B/h(mm):965x705x350



WB8614

Load Capacity(kg):200
Own Weight(kg):22
Water capacity(L):102
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1515x525x520
A/B/h(mm):980x633x296



WB6414

Load Capacity(kg):160
Own Weight(kg):11.8
Water capacity(L):85
Sand Capacity(CBF):5.5
Wheel:4.00-8
L/H/C(mm):1450x620x565
A/B/h(mm):1000x600x330



WB6424T

Load Capacity(kg):120
Own Weight(kg):11.3
Water capacity(L):60
Sand Capacity(CBF):4.5
Wheel:16 " x4 "
L/H/C(mm):1450x585x600
A/B/h(mm):900x640x230



WB1090

Body Size:
1130x880x780mm(LxWxH)
Wheel:480/400-8(16"x4")
Capacity:210L



WB1086

L/W/H/A/B/C(mm)
1640X580X660
1110X690X420
QTY: 544/40HQ
Weight(kg):16.9
Pneumatic Tyre:
4.00-8



WB1082
L/W/H/A/B/C(mm)
1700X640X640
1090X860X390
QTY: 510/40HQ
Weight(kg):18
Pneumatic Tyre:
4.00-8



WB9600-2
Load Capacity(kg):300
Own Weight(kg):17.4
Water capacity(L):200
Sand Capacity(CBF):9
Wheel:16 " x4 "
L/H/C(mm):1700x640x640
A/B/h(mm):1100x885x478



WB8626
Load Capacity(kg):200
Own Weight(kg):17.8
Water capacity(L):125
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1415x615x715
A/B/h(mm):1000x680x360



WB1080
L/W/H/A/B/C(mm)
1640X580X660
1110X690X420
QTY: 512/40HQ
Weight(kg) 19.9
Pneumatic Tyre:
4.00-8



WB3800-1
PVC Body Size:1360x455x540mm(LxWxH)
Wheel:300-8(13"x3")
Capacity:60L



WB3038 (TC3038SP)
Load Capacity(kg):200
Own Weight(kg):26
Water capacity(L):
Sand Capacity(CBF):
Wheel:3.50-4
L/H/C(mm):1200x1060x765
A/B/h(mm):985 x 755 x 240



TC3952
Load Capacity(kg):150
Body Size(mm):1600x850x675
QTY:300PCS/40'GP





Plastic Bucket 塑料车斗

0.6ft³



Plastic Bucket 塑料车斗

0.6ft³



Plastic Bucket 塑料车斗

2.7ft³



Plastic Bucket 塑料车斗

4ft³



Plastic Bucket 塑料车斗

4.0ft³



Plastic Bucket 塑料车斗

4.0ft³



Plastic Bucket 塑料车斗

5ft³



Plastic Bucket 塑料车斗

5ft³



Plastic Bucket 塑料车斗

6.0ft³



Plastic Bucket 塑料车斗

6.5ft³



Plastic Bucket 塑料车斗

8ft³



Plastic Bucket 塑料车斗

9.0ft³



Plastic grip 塑料把套

ø28



Plastic grip 塑料把套

ø19 ø13 ø12



Plastic grip 塑料把套

ø32 ø25 ø16



Plastic grip 塑料把套

ø25



Plastic grip 塑料把套

ø25



Plastic grip 塑料把套

ø38 ø32



Plastic grip 塑料把套

ø32 ø25



Plastic grip 塑料把套

ø22 ø16




50set/pallet



Tray packing



Assembly packing



Handle packing



58set/pallet



■ **WB0100**

Load Capacity(kg):5
Own Weight(kg):2.5
Water capacity(L):10
Sand Capacity(CBF):0.4
Wheel:5.5 " x1 "
L/H/C(mm):735x385x385
A/B/h(mm):490x370x98



■ **WB0102**

Load Capacity(kg):5
Own Weight(kg):2.3
Water capacity(L):9
Sand Capacity(CBF):0.4
Wheel:6.5 " x2.4 "
L/H/C(mm):790x365x370
A/B/h(mm):475x370x110



■ **WB0200**

Load Capacity(kg):10
Own Weight(kg):5
Water capacity(L):22
Sand Capacity(CBF):0.6
Wheel:8"x1.75 "
L/H/C(mm):840x330x310
A/B/h(mm):590x430x235



■ **WB0201**

■ **WB0203**

Own Weight(kg):11.2
Load Capacity(kg):80
Wheel:13"x3"/3.50-4
Body Size (LxWxH)(mm):
850x570x700



■ **WH0203**

Own Weight(kg):4.5
Load Capacity(kg):11
Wheel:8" x1.78
Body Size (LxWxH)(mm):
830x520x95



■ **WH0201**

Load Capacity(kg):10
Own Weight(kg):3.8
Water capacity(L):20
Sand Capacity(CBF):0.6
Wheel:8 " x1.75 "
L/H/C(mm):840x342x304
A/B/h(mm):590x430x225



TC1012

Load (kg) : 20
Body Size(LxWxH): 515x480x870
Weight(kg): 3.5



TC1832

Load (kg) : 150
Pneumatic Tyre: 3.50-4
Body Size(LxWxH): 1050x495x530
QTY: 580pcs/40'GP



TC1801A

Load (kg) : 150
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 995x495x965
Own Weight(kg): 13.5



TC1800

Load (kg) : 150
Pneumatic Tyre: 10"x3.5"-4
Body Size(LxWxH): 995x495x865
QTY: 620pcs/40'GP



TC1812M

Load (kg) : 100
Pneumatic Tyre: 10"x3.00-4
Body Size(LxWxH): 920x610x980



TC1812M-1

Load (kg) : 100
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 935x600x570
QTY: 580pcs/40'GP



TC1802

Own Weight(kg):22.6
Load Capacity(kg): 100
Wheel:13"x3"/3.50-4
Body Size (LxWxH)(mm):
1460x570x700



TC1834

Own Weight(kg):23
Load Capacity(kg): 90
Wheel:13"x3"/3.50-4
Body Size (LxWxH)(mm):
1615x590x700



*Customizable
color / loading capacity*

Camping Cart





■ **CT-0101**
Size: 65.5x37x51.5/96cm
Capacity: 60kg
Wheel: 16x3.5 cm
Carton Size: 70x55x14.5cm



■ **CT-0102**
Size: 90x81x57/104.5cm
Capacity: 80kg
Wheel: 7x4 inch
Carton Size: 77x59x18cm



■ **CT-0103**
Size: 90x81x57/104.5cm
Capacity: 80kg
Wheel: 7x4 inch(with brakes)
Carton Size: 77x59x18cm



■ **CT-0104**
Size: 125x55x105cm
Capacity: 80kg
Wheel: 8 inch Chrome-plated
Carton Size: 55X45X81cm



■ **CT-0105**
Size: 122x55x104.5cm
Capacity: 80kg
Wheel: 7x4 inch
Carton Size: 59x20x77.5cm



■ **CT-0106**
Size: 89x50.5x47/100cm
Capacity: 70kg
Wheel: 8 inch
Carton Size: 47x25x79cm



■ CT-0107
 Size: 94x57x61cm
 Capacity: 80kg
 Wheel: 7 inch pvc



■ CT-0108
 Size: 140x55x105cm
 Capacity: 70kg
 Wheel: 8 inch Chrome-plated



■ CT-0109
 Size: 90x47x105cm
 Capacity: 80kg
 Wheel: 7x4 inch



■ CT-0110
 Size: 124x62x64cm
 Capacity: 80kg
 Pneumatic wheel: 3.00-4 (250x75mm)



■ CT-0111
 Size: 66x38x96cm
 Capacity: 70kg
 Wheel: 6"



■ CT-0112
 Size: 90x53x108cm
 Capacity: 80kg
 Wheel: 20*8.5cm PVC



■ CT-0113
Size: 90x81x104.5cm
Capacity: 80kg
Wheel: 19x4cm



■ CT-0114
Size: 88.5x53x64/116cm
Capacity: 80kg
Wheel: 16x3.5cm



■ CT-0115
Size: 78x57x100cm
Capacity: 80kg
Wheel: 7 inch pvc



■ CT-0116
Size: 89x44x120cm
Capacity: 80kg



■ CT-0117
Size: 83x49x66/95cm
Capacity: 80kg



■ CT-0118
Size: 90x51x57.5/100cm
Capacity: 80kg
Wheel: 8 inch pvc



■ **CT-0119**
Size: 115x52x91cm
Capacity: 80kg
Wheel: 8 inch



■ **CT-0200**
Size: 116x52x91cm
Capacity: 80kg
Wheel: 8 inch



■ **CT-0221**
Size: 90x48x54.5cm
Capacity: 75kg
Wheel: 8 inch



■ **CT-0222**
Size: 115x52x91cm
Capacity: 80kg
Wheel: 8 inch



■ **CT-0223**
Size: 91x54x63cm
Capacity: 80kg
New Weight: 14kg




■ **CT-0224**
Size: 93x69x52cm
Capacity: 40kg
New Weight: 7.1kg

kinde 金德货架
SHELF

Hand trolley



HORIZONTAL POSITION
POSITION HORIZONTALE



HORIZONTAL
HAND TRUCK
CHARIOT
HORIZONTALE



VERTICLE
HAND TRUCK
CHARIOT
VERTICAL





HT0307

Load Capacity(kg): 100
Pneumatic Tyre: 7"
Toe plate width: 495
L/W/h(mm): 1070/825x495x520



HT0308

Load Capacity(kg): 100
Pneumatic Tyre: 7"
Toe plate width: 495
L/W/h(mm): 1180/935x495x520



HT1105

Load (kg) : 90
Solid Tyre: 5.75"x1.3"
Body Size(LxW1xH)(mm): 1110x400x408
Own Weight(kg): 5.3
Toe Plate Width(W2)(mm): 240



HT1103

Load (kg) : 30
Solid Tyre: 6"x1.25"
Body Size(LxW1xH)(mm): 1004x403x310
Own Weight(kg): 6.3
Toe Plate Width(W2)(mm): 150



HT1312

Load (kg) : 75
Solid Tyre: 6.5"x1.75"
Body Size(LxW1xH)(mm): 1160x605x780
Own Weight(kg): 16.2
Toe Plate Width(W2)(mm): 350



HT1561

Load (kg) : 80
Solid Tyre: 8"x1.75"
Body Size(LxW1xH)(mm): 1000x456x362
Own Weight(kg): 6.4
Toe Plate Width(W2)(mm): 180



HT1426

Load (kg) : 100
Pneumatic Tyre: 3.00-4
Body Size(LxW1xH)(mm): 1142(790)x422x524
Own Weight(kg): 12
Toe Plate Width(W2)(mm): 285



HT1429

Load (kg) : 200
Pneumatic Tyre: 3.00-4
Body Size(LxW1xH)(mm): 1115x525x450
Own Weight(kg): 7.15



HT1583

Load (kg) : 100
Solid Tyre: 8"2"
Body Size(LxW1xH)(mm): 1120x530x405
Own Weight(kg): 11
Toe Plate Width(W2)(mm): 200



HT1805

Load (kg) : 200
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1310x550x460
 Own Weight(kg): 10
 Toe Plate Width(W2)(mm): 220



HT1823

Load (kg) : 250
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1275x614x560
 Own Weight(kg): 15
 Toe Plate Width(W2)(mm): 301



HT1824

Load (kg) : 250
 Solid Tyre: 10x3.5
 Body Size(LxW1xH)(mm): 1275x614x560
 Own Weight(kg): 19.1
 Toe Plate Width(W2)(mm): 301



HT1827

Load (kg) : 250
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1249x650x578
 Own Weight(kg): 15.5
 Toe Plate Width(W2)(mm): 325



HT1827AN

Load (kg) : 180
 Pneumatic Tyre: 3.00-4
 Body Size(LxW1xH)(mm): 1115x520x470
 Own Weight(kg): 15.5
 Toe Plate Width(W2)(mm): 325



HT1830

Load (kg) : 200
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1130x555x425
 Own Weight(kg): 9.8
 Toe Plate Width(W2)(mm): 185



HT1832

Load (kg) : 200
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1170x465x480
 Own Weight(kg): 10.5
 Toe Plate Width(W2)(mm): 220



HT1849

Load (kg) : 180
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1120x522x460
 Own Weight(kg): 10.1
 Toe Plate Width(W2)(mm): 200



HT1850

Load (kg) : 150
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1249x650x578
 Own Weight(kg): 15.5
 Toe Plate Width(W₂)(mm): 325



HT1850A

Load (kg) : 200
 Pneumatic Tyre: 10"x3.00-4
 Body Size(LxW1xH)(mm): 1200x670x690



HT1860

Load (kg) : 100
 Pneumatic Tyre: 10"x3.5"
 Body Size(LxW1xH)(mm): 1225x506x480
 Own Weight(kg): 11



HT1861

Load (kg) : 100
 Solid Tyre: 10"x3.5"
 Body Size(LxW1xH)(MM): 1295x506x480
 Own Weight(kg): 11.2



HT1893

Load (kg) : 200
 Pneumatic Tyre: 3.00-4
 Body Size(LxW1xH)(mm): 1200x595x670
 Own Weight(kg): 11.6
 Toe Plate Width(W₂)(mm): 425



HT1939

Load (kg) : 200
 Solid Tyre: 10"x2.5"
 Body Size(LxW1xH)(mm): 1250x470x505
 Own Weight(kg): 16
 Toe Plate Width(W₂)(mm): 250



HT2402

Load (kg) : 200
 Pneumatic Tyre: 3.50-4
 Body Size(LxW1xH)(mm): 1695x565x455
 Own Weight(kg): 15.2
 Toe Plate Width(W₂)(mm): 205



HT1878

Load (kg) : 300
 Pneumatic Tyre: 13"x4"
 Body Size(LxW1xH)(mm): 1308x565x590
 Own Weight(kg): 14.5
 Toe Plate Width(W₂)(mm): 225



HT7000

Load (kg) : 120
 Solid Tyre: 6"
 Body Size(LxW1xH)(mm): 1255x710x590
 Own Weight(kg): 19.1
 Toe Plate Width(W₂)(mm): 231



HT2009

Load (kg) : 75
 Pneumatic Tyre: 3.00-4
 Body Size(LxW1xH)(mm): 1180x525x500
 Own Weight(kg): 7.1



HT4000

Load Capacity(kg): 150/250
 Pneumatic Tyre: 300-4
 Toe plate width: 420
 L/W/h(mm):1080x520x500



HT1078

Load Capacity(kg): 100
 Pneumatic Tyre: 250-4
 Toe plate width: 305
 L/W/h(mm):530x645x1070



HT1879

Product Size:
 510x490x1180
 Load Capacity(kg):150KG
 Wheel:6"x1.5"
 Toe plate width: 305



HT2505

Product Size:
 560x515x1185
 Load Capacity(kg):200KG
 Wheel:6"x1.5"
 Toe plate width:300



HT1568

Product size:(LxWxH)
 1000x460x355
 Load Capacity(kg):80
 Wheel:8"x1.75"solid wheel
 T/P width:180



HT1864

Product size:
 1355x505x540
 Load Capacity(kg):120
 Wheel:4.10/3.50-4



HT2504

Product Size:
 1185x490x520 (HxLxW)
 Capacity:250kgs
 With 10"x3.00-4 air
 T/P Size:305mm

kinde 金德货架
SHELF

TOOL CART





TC0810

Weight(kg): 0.75
Load Capacity(kg): 30
Wheel: 1.5"
Body Size(LxWxH)(mm): Φ300x70



TC0811

Weight(kg): 0.64
Load Capacity(kg): 30
Wheel: 1.5"
Body Size(LxWxH)(mm): Φ300x70



TC0813

Weight(kg): 0.67
Load Capacity(kg): 45
Wheel: 1.5"
Body Size(LxWxH)(mm): Φ300x85



TC0816

Weight(kg): 0.7
Load Capacity(kg): 50
Wheel: 1.5"
Body Size(LxWxH)(mm): 300x300x85



TC0510

Weight(kg): 12
Load Capacity(kg): 300
Wheel: 4"
Body Size(LxWxH)(mm): 910x610x165



TC0502-II

Load Capacity(kg): 150
Wheel: 3"
Body Size(LxWxH)(mm): 600x300x115



TC0529

Load Capacity(kg): 80
Wheel: 3"
Body Size(LxWxH)(mm): 485x117



TC0500

Weight(kg): 5.5
Load Capacity(kg): 300
Wheel: 3"
Body Size(LxWxH)(mm): 760x460x140



TC3715

Load Capacity(kg):300
Wheel:4"Solid
Bodysize(mm):910x610x170

PH150

Load (kg) : 130
 Castor: 4"
 Body Size(LxWxH): 820x139.5x735x475
 Own Weight(kg): 8.4



PH153

Load (kg) : 100
 Castor: 4"
 Body Size(LxWxH): 830/665x240/165x915x605
 Own Weight(kg): 8.4



PH152

Load (kg) : 100
 Castor: 4"
 Body Size(LxWxH): 702x443x415



PH300

Load (kg) : 300
 Castor: 5"
 Body Size(LxWxH): 863x209x916x616
 Own Weight(kg): 16



PH158

Load Capacity(kg):100
 Wheel:3"Solid
 Body Size(mm)600x400x110
 Qty:3240PCS/40'GP

PH155

Folded size:560*380*130mm
 Handle the adjustable
 Height:510*750*1040mm

PH156

Folded size:560*380*130mm
 Handle the adjustable Height:510*750*1040mm
 Body for adjustment size:560*640*720*770mm

PH158



PH156



PH155



TC0731

Load (kg) : 40
 Castor: 10"x3.50-4
 Body Size(LxWxH): 810x445x540
 Own Weight(kg): 12.6



TC0732

Load (kg) : 80
 Castor: 10"x3.50-4
 Body Size(LxWxH): 810x445x540
 Own Weight(kg): 14



TC0737

Load (kg) : 80
 Castor: 10"x3.50-4
 Body Size(LxWxH): 810x445x540
 Own Weight(kg): 18



PH356

Own Weight(kg):41.6
 Load Capacity(kg): 800
 Castor:8"
 Body Size (LxWxH)(mm):
 1270x575x1210



SC1240

Load (kg) : 100
 Castor: 4"
 Body Size(LxWxH): 725(500)x415x782
 Own Weight(kg): 10.6



SC1350

Load (kg) : 100
 Castor: 5"
 Body Size(LxWxH): 725(500)x415x825
 Own Weight(kg): 17.5



SC5241

Load (kg) : 100
 Castor: 4"
 Body Size(LxWxH): 755x415x875
 Own Weight(kg): 11.8



TC1701

Own Weight(kg):43.35
 Load Capacity(kg):600
 Wheel:6"
 Body Size (LxWxH)(mm):
 850x650x1700



SC-700

Size: 70x42x82cm
Capacity: 500kg
Wheel: 4"



SC-800

Size: 80x40x92.5+40cm
Capacity: 650kg
Wheel: 5"



FS-302: 2 Layer

LS-303: 3 layer

Size: 76.2x45.7x88.9cm

Wheel: 5" PU

Carton Size: 78x47x9cm





LR-050
Body Size: 1219x395x1245mm



TC-4832
Load(kg): 100
Pneumatic Tyre: 10"x3.5-4
Body Size(LxWxH): 620x520x740/1065



CT-0333
Size: 77x49x104cm
N.W.: 12.7kgs



FR-030
Load Capacity(kg):150
Size: 1210x343x1245



FR-032
Size: 200x25x115cm



FR-033
Size: 200x36x116cm



FR-035
Size: 185x70x185cm



FR-042
Max Size: 185x70x185cm
The height :100/124/150 cm.
The length :40/53/ 65 cm.



TC3452
Overall Size: 840x800x800mm



T55
Weight(kg): 7.2
Load Capacity(kg): 300
Body Size(LxWxH)(mm)
680x554x(815-1315)



T59
Size: 980x340x610mm



CT-3007
Load Capacity(kg): 175
Wight: 2.7kg
Open Size: 680x380x780
Close Size: 680x380x90



CT-3008
Load Capacity(kg): 200
Wight: 2.6kg
Open Size: 620x390x730
Close Size: 760x620x450




T101
weight(kg):3.4
Body Size (LxWxH)(mm):
860x420x750



CT-3011
Load Capacity(kg): 500
Wight: 14.8kg
Open Size: 1175x670x1220
Close Size: 1175x670x2220



CT-3010
Load Capacity(kg): 1000
Wight: 15.5kg
Open Size: 1195x800x1280
Close Size: 1195x800x1980



CT-3006
Size: 750x755x400

kinde 金德货架
SHELF

GARDEN CART





WB0400

Load (kg) : 20
 Weight(kg): 3.85
 Wheel: 3.00-4
 LxHxC(mm): 1118x787x525
 AxBxh(mm): 850x590x375



WB0402

Load (kg) : 20
 Weight(kg): 3.8
 Wheel: 3.00-4
 LxHxC(mm): 1075x830x550
 AxBxh(mm): 835x595x370



WB0405

Load (kg) : 20
 Sand Capacity(CBF): 0.6
 Wheel: 10"x3.00-4
 LxHxC(mm): 1105x785x590
 AxBxh(mm): 746x533x325



WB0503

Size: 119x54.5x68.5cm
Capacity: 80kg



TC1000

Load (kg) : 80
 Sand Capacity(CBF): 0.6
 Wheel: 13"x4.00-6
 LxHxC(mm): 1765x790x335



TC1000A

Load (kg) : 80
 Sand Capacity(CBF): 0.6
 Wheel: 10"x3.00-4
 LxHxC(mm): 1510x780x265



TC2135A Dump Cart 225L
 Load capacity 450 kgs
 Tipping facility
 Push Pulla and Tows
 Polycarbonate hopper
 Hopper dimensions:
 L1260xW840xD330mm
 Wheel:13x500-6



TC2135-1 Dump Cart 125L
 Load capacity 400kgs
 Tipping facility
 Push Pulla and Tows
 Polycarbonate hopper
 Hopper dimensions:
 L106xW59xD28.5cm
 Wheel:13x5.00-6



TC2145 Dump Cart 75L
 Load capacity 250kgs
 Tipping facility
 Push Pulla and Tows
 Polycarbonate hopper
 Hopper dimensions:
 L94xW51xD21cm
 Wheel:10"x3.5"(3.50-4)



Tipping Facility ...



TC2135

Load (kg) : 400
 Pneumatic Tyre: 13x5.00-6
 Body Size(LxWxH): 1195x1055x590/1085
 Own Weight(kg): 24.5



TC2145S
 Dump Cart 50L
 Load capacity 200kgs
 Tipping facility
 Push Pulla and Tows
 Polycarbonate hopper
 Hopper dimensions:
 L88xW47xD19cm
 Wheel:10x3.5(350-4)



CT-0222

SIZE:143X42X41CM
 NET WEIGHT:6.5KGS
 WHEEL:16x2.125"



TC3005



TC3004

Load (kg) : 150
 Pneumatic Tyre: 16"x2.125"
 Body Size(LxWxH): 1530x670x930



TC-3006

Size: 81.5x24.5x62.5cm
 Capacity: 80kg



TC1841
Body Size:1290x670x520/1030mm(LxWxH)
Wheel:13X500-6
Capacity:350KGS



TC1840F
Body Size:1865x520x570mm(LxWxH)
Wheel:10"x3.5"(350-4)
Capacity:200KGS



TC1840A
Body Size:1020x500x570/1015mm(LxWxH)
Wheel:10X350-4
Capacity:250KGS



TC1840
Load (kg) : 500
Pneumatic Tyre: 13"x500-6
Body Size(LxWxH): 1200x600x690/1100



TC1840AH
Body Size:1020x520x730/1050mm(LxWxH)
Wheel:10X350-4
Capacity:250KGS



TC1840AS
Body Size:950x490x535/860mm(LxWxH)
Wheel:10X300-4
Capacity:200KGS



TC1840-1
Body Size:1280x610x650/1030mm(LxWxH)
Wheel:13X500-6
Capacity:350KGS



TC1840H-1
Body Size:1170x570x870/1040mm(LxWxH)
Wheel:13X500-6
Capacity:350KGS





■ **TC3526**
Load Capacity(kg):30
Wheel:13"x5.00-6 Air
Body Size(mm):980x760x770
QTY:320PCS/40'GP



■ **TC3527A**
Load Capacity(kg):30
Wheel:13"x5.00-6 Air
Body Size(mm):940x450x800
QTY:340PCS/40'GP



■ **TC3528**
Load Capacity(kg):30
Wheel:13"x5.00-6Air
Body Size(mm):980x760x770
QTY:320PCS/40'GP



■ **TC3530**
Load Capacity(kg):25
Wheel:9"x2.3"Solid
Body Size(mm):1000x485x690
QTY:460PCS/40'GP



■ **TC3537**
Load Capacity(kg):20
Water capacity(L):12
Wheel:6"
Size LxWxH(mm):
970x320x750 / 320x270x585



TC208
Own Weight(kg):4
Load Capacity(kg):100
Body Size (LxWxH)(mm):
600x270x505



CT-0999
DIAMETER:30CM
length:42cm
weight:0.52kgs/pcs



■ **CT305**
Body Size(mm):1200x900x750
Head Size(mm):750x460
QTY:750PCS/20'GP
Wheel:10 x 3.00-4Air



■ **CT310**
Body Size(mm):1370x800x850
QTY:10000PCS/40'GP



■ TI-062C
Body Size:L590xW380xH490
Wheel:7"x1.5" Solid
QTY:2500PCS/40'GP mm

■ TC4501B
Load Capacity: 150kg
Wheel: 10" x3.50-4 Air
Body Size:L465 x W205 x H500
QTY: 736 PCS /40' GP mm



■ TC4501F
Load Capacity (KG) : 150
Wheel:10"x3.50-4 Air
Body Size:L860xW440xH975
QTY: 760 PCS/40'GP



■ TC4501C
Load Capacity: 150kg
Wheel: 10" x3.50-4 Air
Body Size: L870 x W440 x H490
QTY: 760 PCS /40' GP



■ TC4501D
Load Capacity: 150kg
Wheel: 10" x3.50-4 Air
Body Size: L860 x W440 x H975
QTY: 760 PCS /40' GP



■ TC4501E
Load Capacity (KG) : 150
Wheel:10"x3.50-4 Air
Body Size:L940xW445xH540
QTY: 720 PCS/40'GP



TC1409
Wheel: 8"x2.50"
Body Size(LxWxH): 483x220x375
Own Weight(kg): 6.5



TC4501A
Wheel: 10"
Body Size(LxWxH): 940x445x540
Load Capacity(kg): 150



TC0517
Body Size(LxWxH): 1180x580x400



TC-0520
Diameter 32cm
Working width:50cm



TC-0521
Diameter 30cm
Working width:100cm



TC-0523
Diameter 30cm
Working width:42cm



TC-0522
Diameter 36cm
Working width:47cm



TC0518
Body Size(LxWxH): 1230x580x400



TC-120
Size:120x60x29cm
Carton Size: 36x32x12cm



TC1850
Hose Capacity: 70mx5/8"or 120mx1/2"
Wheel: 10"x3.50-4
Body Size: 950x630x1100
Hose Tube: 1.8m



CT110
SIZE:1370X550X600MM
PUWHEEL:3.00-4
NET WEIGHT:10.5KGS)



TC3088
Load (kg) : 100
Castor: 10"
Body Size(LxWxH): 75x41x43



TC3089
Load (kg) : 100
Castor: 10"x3.50
Body Size(LxWxH): 75x41x43



CT-0666
SIZE:45X45X26CM
WHEEL:6"
WEIGHT 17KGS



CT-008
Measurement: 157X66X64cm



CT-007
Measurement: 146X54X54cm




CT-006
Measurement: 131X52X79cm





CT-009
120x700cm



CT-010
800x800cm



CT-011
122*81*74cm





CT-018

DIMENSIONS: 24"W×36"H
PACKING SIZE: 37"×3.2" ×24.8"
1PCS/1CTN



CT-020

DIMENSIONS: 24"W×48"H
PACKING SIZE: 49.2"×3.2" ×24.8"
1PCS/1CTN



CT-013

DIMENSIONS: 22"L×13"W×16"H
PACKING SIZE: 24"×4"×15.2"
1PCS/1CTN



CT-019

DIMENSIONS: 43"L×28"W×31"H
PACKING SIZE: 43.4"×4.2" ×29"
1PCS/1CTN



CT-014

DIMENSIONS: 25"L×17"W×20"H
PACKING SIZE: 25.5"×3.8" ×18"
1PCS/1CTN



CT-016

DIMENSIONS: 25"L×17"W×20"H
PACKING SIZE: 25.5"×3.8" ×18"
1PCS/1CTN




CT-021

DIMENSIONS: 149.5"L×86.5"W×71"H
DIMENSIONS: 380 L×220 W×180 H
PACKING SIZE: 87.5"×25.5" ×7.5"
PACKING SIZE: 222×65×19cm
1PCS/1CTN



CT-022

DIMENSIONS: 149 4/5"L×59"W×71"H
DIMENSIONS: 380 L×150 W×180 H CM
PACKING SIZE: 59.5"×48.8" ×10.8
PACKING SIZE: 151×124×27cm
1PCS/1CTN




TYRE

TUBE

RIM

BEARING

WHEEL



MODEL PR1400
DIMENSION 8"x2.50-4



MODEL PR1400-1
DIMENSION 8"x2.50-4



MODEL PR1401
DIMENSION 8"x2.50-4



MODEL PR1402
DIMENSION 8"x2.50-4



MODEL PR1805-1
DIMENSION 10"x3.00-4



MODEL PR1801
DIMENSION 10"x3.50-4



MODEL PR1802
DIMENSION 10"x3.50-4



MODEL PR1802-1
DIMENSION 10"x3.50-4



MODEL PR1803
DIMENSION 10"x3.50-4



MODEL PR1800-2
DIMENSION 10"x3.50-4



MODEL PR2401-2
DIMENSION 13"x3.25/3.00-8



MODEL PR2401-3
DIMENSION 13"x3.25/3.00-8



MODEL PR2401-5
DIMENSION 13"x3.25/3.00-8



MODEL PR2502
DIMENSION 3.50-7



MODEL PR2601
DIMENSION 14"x3.50-8



MODEL PR2601-1
DIMENSION 14"x3.50-8



MODEL PR2604-1
DIMENSION 14"x3.50-8



MODEL PR2605
DIMENSION 14"x3.50-8



MODEL PR2606
DIMENSION 14"x3.50-8



MODEL PR2608
DIMENSION 14"x3.50-8



MODEL PR3000
DIMENSION 16"x4.00-8



MODEL PR3001
DIMENSION 16"x4.00-8



MODEL PR3002
DIMENSION 16"x4.00-8



MODEL PR3003-2
DIMENSION 16"x4.00-8



MODEL PR3003-3
DIMENSION 16"x4.00-8



MODEL PR3006
DIMENSION 16"x4.00-8



MODEL PR3006-1
DIMENSION 16"x4.00-8



MODEL PR3006-4
DIMENSION 16"x4.00-8



MODEL PR3012
DIMENSION 16"x4.00-8



MODEL PR3017
DIMENSION 16"x4.00-8



MODEL PR3018
DIMENSION 2.50-4,3.50
4.00-6,5.00
4.00-8



MODEL PR3
DIMENSION 4.00
4.50
5.00



MODEL PR3007
DIMENSION 16"x4.50-8



MODEL PR3009
DIMENSION 4.00-6/5.00-6
6.00-6



MODEL PR3010
DIMENSION 16"x6.50-8



MODEL SR0901
DIMENSION 5"x1.3"



MODEL SR0902-1
DIMENSION 5"x1.5"



MODEL SR1102
DIMENSION 6"x1.5"



MODEL SR1104
DIMENSION 6"x1.4"



MODEL SR1111
DIMENSION 6"x1.2"



MODEL SR1304
DIMENSION 7"x1.25"



MODEL SR1501
DIMENSION 8"x1.75"



MODEL SR1501B
DIMENSION 8"x1.75"



MODEL SR1503-2
DIMENSION 8"x1.75"



MODEL SR1512
DIMENSION 8"x2.2"



MODEL SR1901
DIMENSION 10"x2.5"



MODEL SR1906
DIMENSION 10"x2"



MODEL SR2700
DIMENSION 15"x3"



MODEL SR2701
DIMENSION 14"x4"



MODEL SR2702
DIMENSION 14"x3"



MODEL SR2500A
DIMENSION 13"x3"



MODEL SR1907
DIMENSION 10"x1.75"



MODEL SR2707
DIMENSION 16"x4.00-8



SP003
Size 7"x1.5"



SP004
Size 7"x1.5"



FP1017
Size 10"x3.50-4



FP1101
Size 11"x3.50-6



FP2401
Size 13"x3.00-8



FP2401-5
Size 13"x3.25-8



F P1611
Size 16"x4.00-8



FP1617
Size 16"x4.00-8



FP1612
Size 16"x4.00-8



FP1615
Size 16"x4.00-8



FP0806
Size 8"x2"



FP0803
Size 250-4



FP1622
Size 16"x4.00-8



FP1618
Size 16"x4.00-8



FP1619
Size 16"x4.00-8



FP1002
Size 10"x3.00-4



FP0808
Size 8"x3"



CT876PU
Size(mm):200x174x147
Tire diameter(mm):650
Loading capacity(tons):5
Weight(kg):0.9



CT976PU
Size(mm):215x176x155
Tire diameter(mm):560
Loading capacity(tons):10
Weight(kg):1.2



CT1188PU
Size(mm):280x200x200
Tire diameter(mm):816
Loading capacity(tons):20
Weight(kg):1.7



CT886PU
Size(mm):205x200x147
Tire diameter(mm):900
Loading capacity(tons):20
Weight(kg):1.8



CT986PU
Size(mm):235x195x145
Tire diameter(mm):570
Loading capacity(tons):20
Weight(kg):1.8



FP2401-6
Size 13"x3.25-8



FP2401-7
Size 13"x3.25-8



FP2401-8
Size 13"x3.25-8



FP1301
Size 13"x5.00-6



FP1610
Size 16"x4.00-8



FP1302
Size 13"x5.00-6



FP2601
Size 14"x3.50-8



FP2602
Size 14"x3.50-8



FP2603
Size 14"x3.50-8



FP1616
Size 16"x4.00-8



FP2605
Size 14"x3.50-8



FP2606
Size 14"x3.50-8



FP1601
Size 16"x4.00-8



FP1602
Size 16"x4.00-8



FP1620
Size 16"x4.00-8



FP1603
Size 16"x4.00-8



FP1605
Size 16"x4.00-8



FP1606
Size 16"x4.00-8



FP1607
Size 16"x4.00-8



FP3010
Size 16"x6.50-8



QINGDAO JINDESHUN METAL PRODUCTS CO.,LTD

Add: NO.2037 Dongyuan Road,Lingang Industry Park,Huangdao, Qingdao,China 266555

TEL: 86-532-68979830

FAX: 86-532-86996963

www.qdjindeshun.com

E-mail: leo@qdjindeshun.com



www.qdjindeshun.com